

Outdoor Manual Tension Pro Dimensions Table

Model Number	Nominal Diagonal	Aspect Ratio	Screen material	Gain	Case Length (A)	Viewable Width (A1)	Weight Bar Length (A2)	Left end cap to material distance (A3)	Right end cap to material distance (A4)	L/R black masking border (A5)	Overall Height (B)	Screen Height (B1)	Viewable Height (B2)	Top Black Masking Border (B3)	Bottom Black Masking Border (B4)	Case Width (C)	Case Height (C1)	Wall Bracket Distance (C2)	Material to wall distance (C3)	Packing Dimensions (LxWxH)			Net Weight	Gross Weight
Unit: inch																					Lbs	Lbs		
PRO115HMT	115"	16:9	CineWhite®	1.1	111.3	100.2	110.9	3.5	3.5	1.2	70.0	66.5	56.4	8.0	1.2	3.9	3.5	83.4	1.2	115.6	7.3	6.3	29.4	36.5
PRO125HMT	125"	16:9	CineWhite®	1.1	120.0	109.0	119.6	3.5	3.5	1.2	74.9	71.4	61.3	8.0	1.2	3.9	3.5	90.0	1.2	124.4	7.3	6.3	31.2	39.2
Unit: mm																					Kgs	Kgs		
PRO115HMT	115"	16:9	CineWhite®	1.1	2826	2546	2816	90	90	30	1778	1688	1432	203	30	100	90	2120	30	2935	185	160	13.4	16.6
PRO125HMT	125"	16:9	CineWhite®	1.1	3047	2767	3037	90	90	30	1903	1813	1557	203	30	100	90	2285	30	3160	185	160	14.2	17.8

Note: Data Error may be ±1"

The listed measurements are for general reference only. Please contact Elite ProAV to verify product design and dimensions before attempting to integrate its products with any structural or furniture modification. Although a manufacturer may offer product advice, it may be taken or disregarded at the integrator's discretion. Elite ProAV will not be held responsible or be otherwise liable for faulty installations. Screen materials may expand and contract slightly over time. Elite ProAV allows a 1.5% tolerance within the viewing surface.

